



Predator

+ - **AGM BATTERIES**

GENERAL PURPOSE AND DEEP CYCLE AGM BATTERIES
ES & ED SERIES



Predator Batteries available at



DIVERSITY, QUALITY AND LONG LIFE

The Predator AGM range is a high quality, long life range of sealed Valve Regulated Lead Acid batteries (VRLA). Valve-regulated means they are fully sealed so no chance of electrolyte loss from the casing or terminals. They stay clean, safe and corrosion-free. The Predator AGM range has the added safety of a pressure relief valve in the rare event of internal pressure build up.

Having Absorbent Glass Mat (AGM) separators, the Predator AGM range has lower internal resistance for greater efficiency and increased vibration protection, all encased in a high strength, durable ABS plastic case.

The Predator AGM range features 2 diverse types of AGM battery: - the general-purpose/ standby ES range, and the dedicated deep-cycle ED range.

- FULLY SEALED CONSTRUCTION**

No electrolyte leakage from casing or terminals.
Stays clean, corrosion-free

- MAINTENANCE-FREE OPERATION**

No need to check or add water.
Efficient operation in any orientation except inverted.

- LOW SELF-DISCHARGE**

Self-discharge rate is less than 1% per month @ 20°C

- SPECIAL LEAD-CALCIUM ALLOY**

Highly resistant to corrosion.
Excellent deep-cycle recovery to full capacity

- HIGH-STRENGTH ABS CASING**

Designed to withstand elevated operating temperatures and maintain high battery cell compression essential for reliable operation in AGM batteries



The extensive predator AGM range has a battery suited for most cyclic and general-purpose needs



ES RANGE – General Purpose & Stand-By

The Predator ES range is a Multi-Purpose AGM battery. Ideal for stand-by or float applications, they are designed for everyday use, general and light cycling duties. With 6 volt and 12 volt sizes available from 1.3Ah up to 260Ah there is a Predator ES battery available to meet your general purpose or stand-by needs.

- NBN Internet panels
- Alarm Systems
- E-Scooters & Bikes
- Electronic light displays
- Automation systems
- Vending Machines
- Electronic Toys & Equipment
- Emergency Lighting
- UPS systems
- Security Systems
- Control Equipment



PART NUMBER	VOLTS	AH	TERMINAL	L	W	H	TH	KG
ES613	6	1.3	T1	97	24	52	58	0.29
ES633	6	3.3	T1	134	34	60	66	0.67
ES650A	6	5	T1	70	47	100	106	0.8
ES670	6	7	T1	151	34	94	100	1.12
ES6120	6	12	T1	151	51	94	100	1.8
ES1213	12	1.3	T1	97	43	52	58	0.57
ES1223	12	2.3	T1	178	35	61	67	0.97
ES1229	12	2.9	T1	79	56	99	105	1.1
ES1233	12	3.3	T1	134	67	61	67	1.35
ES1250	12	5	T2	90	70	101	107	1.8
ES1272	12	7.2	T2	151	65	94	100	2.2
ES1290	12	9	T2	151	65	94	100	2.66
ES12100	12	10	T2	151	65	111	117	3.11
ES12120	12	12	T2	151	98	95	101	3.5
ES12180	12	18	T12	182	77	168	168	5.4
ES12220	12	22	T12	182	77	168	168	5.78
ES12260	12	26	T12	166	175	125	125	7.8
ES12350	12	35	T6	195	130	164	167	11.2
ES12450	12	45	T6	197	165	170	170	14.2
ES12550	12	55	T6	229	138	205	211	16.2
ES12850	12	85	T11	260	168	208	214	23.8
ES121000	12	100	T11	306	168	208	214	28.3
ES121200	12	120	T11	330	173	212	220	31.2
ES122200	12	220	T11	522	240	218	224	63.5
ES122600	12	260	T11	522	268	220	226	72.5

ED RANGE – Deep-Cycle

The Predator Deep Cycle range are true, dedicated Deep Cycle batteries. With all the features of the General-Purpose range but with thicker, stronger high-density plates designed to withstand repeated deep discharges.

When it comes to Deep Cycle applications, quality matters! Unlike other Deep Cycle manufacturers, we do not cut corners when making the Predator ED series of Deep Cycle batteries. Thicker plates, unique plate chemistry, rigid quality-control processes and some of the most advanced production facilities in Asia ensure the Predator ED Deep Cycle range is one of the best available.



Available in
7Ah – 260Ah sizes.

- RV & Caravans
- AWP
- Solar & Camping
- EV & Golf Cart
- 4WD Aux. Battery
- Floor Cleaners
- Marine
- Pallet Trucks
- Mobility
- Portable Power

PART NUMBER	VOLTS	AH	TERMINAL	L	W	H	TH	KG
ED1270	12	7	T2	151	65	94	100	2.5
ED1290	12	9	T2	151	65	94	100	2.47
ED12100	12	10	T2	151	98	95	101	3.25
ED12120	12	12	T2	151	98	95	101	4.05
ED12140	12	14	T2	151	98	95	101	4
ED12200	12	20	T12	182	77	166	166	6.9
ED12260	12	26	T12	166	175	125	125	9.35
ED12350	12	35	T6	195	130	164	167	11.2
ED12480	12	48	T6	197	165	170	170	14.2
ED12550	12	55	T6	229	138	210	216	17.7
ED12600	12	60	T6	260	168	208	214	18.4
ED12850	12	85	T11-A	260	168	208	214	23.8
ED121600	12	160	T11	483	170	239	239	43.2
ED122200	12	220	T11	522	240	218	224	62.2
ED122600	12	260	T11	522	268	220	226	74
ED62240	6	224	T11	260	180	247	253	30.5
ED62450	6	245	T11	243	188	275	275	32.3
ED62500	6	250	T11	262	180	270	274	33.7
DC12-100	12	100	T11-A	306	168	208	214	30.6
DC12-120	12	120	T11-A	331	175	214	218	34.2