

# Delkor SMF

## R & J Batteries Pty Ltd

Chemwatch: 5319-74

Version No: 8.1

Safety Data Sheet according to Work Health and Safety Regulations (Hazardous Chemicals) 2023 and ADG requirements

Chemwatch Hazard Alert Code: 4

Initial Date: 30/08/2018

Revision Date: 24/08/2026

Print Date: 25/08/2026

L.GHS.AUS.EN.E

### SECTION 1 Identification of the substance / mixture and of the company / undertaking

#### Product Identifier

|                               |                                                    |
|-------------------------------|----------------------------------------------------|
| Product name                  | Delkor SMF                                         |
| Chemical Name                 | Not Applicable                                     |
| Synonyms                      | Battery, Wet, Filled with Acid, Electric Storage   |
| Proper shipping name          | BATTERIES, WET, FILLED WITH ACID, electric storage |
| Chemical formula              | Not Applicable                                     |
| Other means of identification | Not Available                                      |

#### Relevant identified uses of the substance or mixture and uses advised against

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Relevant identified uses | Electric storage battery. Starting, lighting, ignition for cars & trucks etc. Use involves discharge then regenerative charging cycle from external DC power source. CHARGING HAZARD. Completion of charging process includes evolution of highly flammable and explosive hydrogen gas which is readily detonated by electric spark. No smoking or naked lights. Do not attach/detach metal clips or operate open switches during charging process because of arcing/sparking hazard. Overcharging to excess results in vigorous hydrogen evolution - boiling - which may cause generation of corrosive acid mist. Large installations i.e. battery rooms must be constructed of acid resistant materials and well ventilated.<br>Use according to manufacturer's directions. |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

#### Details of the manufacturer or importer of the safety data sheet

|                         |                                                                |
|-------------------------|----------------------------------------------------------------|
| Registered company name | R & J Batteries Pty Ltd                                        |
| Address                 | 852 La Trobe St Ballarat Australia                             |
| Telephone               | +61 3 5335 9888                                                |
| Fax                     | +61 3 5336 4976                                                |
| Website                 | <a href="http://rjbatt.com.au">rjbatt.com.au</a>               |
| Email                   | <a href="mailto:rjbatt@rjbatt.com.au">rjbatt@rjbatt.com.au</a> |

#### Emergency telephone number

|                                     |                                     |
|-------------------------------------|-------------------------------------|
| Association / Organisation          | CHEMWATCH EMERGENCY RESPONSE (24/7) |
| Emergency telephone number(s)       | +61 1800 951 288 (ID#: 5319-74)     |
| Other emergency telephone number(s) | +61 3 9573 3188                     |

### SECTION 2 Hazards identification

#### Classification of the substance or mixture

|                               |                                                                                                                                        |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| Poisons Schedule              | Not Applicable                                                                                                                         |
| Classification <sup>[1]</sup> | Skin Corrosion/Irritation Category 1A, Serious Eye Damage/Eye Irritation Category 1, Reproductive Toxicity Effects on or via Lactation |
| Legend:                       | 1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI    |

#### Label elements

|                     |                                                                                     |
|---------------------|-------------------------------------------------------------------------------------|
| Hazard pictogram(s) |  |
| Signal word         | Danger                                                                              |

#### Hazard statement(s)

|      |                                          |
|------|------------------------------------------|
| H314 | Causes severe skin burns and eye damage. |
| H362 | May cause harm to breast-fed children.   |

#### Precautionary statement(s) Prevention

|      |                                                                           |
|------|---------------------------------------------------------------------------|
| P202 | Do not handle until all safety precautions have been read and understood. |
| P260 | Do not breathe dust/fume.                                                 |

|      |                                                                                  |
|------|----------------------------------------------------------------------------------|
| P263 | Avoid contact during pregnancy and while nursing.                                |
| P264 | Wash all exposed external body areas thoroughly after handling.                  |
| P280 | Wear protective gloves, protective clothing, eye protection and face protection. |
| P270 | Do not eat, drink or smoke when using this product.                              |

**Precautionary statement(s) Response**

|                |                                                                                                                                  |
|----------------|----------------------------------------------------------------------------------------------------------------------------------|
| P301+P330+P331 | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.                                                                               |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].                         |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310           | Immediately call a POISON CENTER/doctor/physician/first aider.                                                                   |
| P363           | Wash contaminated clothing before reuse.                                                                                         |
| P308+P313      | IF exposed or concerned: Get medical advice/ attention.                                                                          |
| P304+P340      | IF INHALED: Remove person to fresh air and keep comfortable for breathing.                                                       |

**Precautionary statement(s) Storage**

|      |                  |
|------|------------------|
| P405 | Store locked up. |
|------|------------------|

**Precautionary statement(s) Disposal**

|      |                                                                                                                                  |
|------|----------------------------------------------------------------------------------------------------------------------------------|
| P501 | Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation. |
|------|----------------------------------------------------------------------------------------------------------------------------------|

No further product hazard information.

**SECTION 3 Composition / information on ingredients****Substances**

See section below for composition of Mixtures

**Mixtures**

| CAS No         | %[weight]                                                                                                                                                                                               | Name                                               |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|
| 7439-92-1      | 30-40                                                                                                                                                                                                   | <u>lead</u>                                        |
| 68411-78-9     | 30-40                                                                                                                                                                                                   | <u>lead oxide</u>                                  |
| 7664-93-9      | 10-15                                                                                                                                                                                                   | <u>sulfuric acid</u>                               |
| Not Available  |                                                                                                                                                                                                         | as sulfuric acid <51%                              |
| 9003-56-9      | )5-8                                                                                                                                                                                                    | <u>styrene/ butadiene/ acrylonitrile copolymer</u> |
| 9003-07-0      | )                                                                                                                                                                                                       | <u>polypropylene</u>                               |
| <b>Legend:</b> | <b>1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&amp;L; * EU IOELVs available</b> |                                                    |

**SECTION 4 First aid measures****Description of first aid measures**

|                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Eye Contact</b>  | <p>If this product comes in contact with the eyes:</p> <ul style="list-style-type: none"> <li>Immediately hold eyelids apart and flush the eye continuously with running water.</li> <li>Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.</li> <li>Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.</li> <li>Transport to hospital or doctor without delay.</li> <li>Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</li> </ul>                                                                                       |
| <b>Skin Contact</b> | <p>If skin or hair contact occurs:</p> <ul style="list-style-type: none"> <li>Immediately flush body and clothes with large amounts of water, using safety shower if available.</li> <li>Quickly remove all contaminated clothing, including footwear.</li> <li>Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre.</li> <li>Transport to hospital, or doctor.</li> </ul>                                                                                                                                                                                                                                                                                             |
| <b>Inhalation</b>   | <ul style="list-style-type: none"> <li>If fumes or combustion products are inhaled remove from contaminated area.</li> <li>Lay patient down. Keep warm and rested.</li> <li>Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.</li> <li>Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.</li> <li>Transport to hospital, or doctor.</li> </ul>                                                                                                                                                                                        |
| <b>Ingestion</b>    | <ul style="list-style-type: none"> <li>For advice, contact a Poisons Information Centre or a doctor at once.</li> <li>Urgent hospital treatment is likely to be needed.</li> <li><b>If swallowed do NOT induce vomiting.</b></li> <li>If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.</li> <li>Observe the patient carefully.</li> <li>Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.</li> <li>Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.</li> <li>Transport to hospital or doctor without delay.</li> </ul> |

**Indication of any immediate medical attention and special treatment needed**

For acute or short term repeated exposures to strong acids:

- Airway problems may arise from laryngeal edema and inhalation exposure. Treat with 100% oxygen initially.
- Respiratory distress may require cricothyroidotomy if endotracheal intubation is contraindicated by excessive swelling
- Intravenous lines should be established immediately in all cases where there is evidence of circulatory compromise.

Continued...

- ▶ Strong acids produce a coagulation necrosis characterised by formation of a coagulum (eschar) as a result of the desiccating action of the acid on proteins in specific tissues.

**INGESTION:**

- ▶ Immediate dilution (milk or water) within 30 minutes post ingestion is recommended.
- ▶ **DO NOT attempt to neutralise the acid since exothermic reaction may extend the corrosive injury.**
- ▶ Be careful to avoid further vomit since re-exposure of the mucosa to the acid is harmful. Limit fluids to one or two glasses in an adult.
- ▶ Charcoal has no place in acid management.
- ▶ Some authors suggest the use of lavage within 1 hour of ingestion.

**SKIN:**

- ▶ Skin lesions require copious saline irrigation. Treat chemical burns as thermal burns with non-adherent gauze and wrapping.
- ▶ Deep second-degree burns may benefit from topical silver sulfadiazine.

**EYE:**

- ▶ Eye injuries require retraction of the eyelids to ensure thorough irrigation of the conjunctival cul-de-sacs. Irrigation should last at least 20-30 minutes. **DO NOT use neutralising agents or any other additives.** Several litres of saline are required.
- ▶ Cycloplegic drops, (1% cyclopentolate for short-term use or 5% homatropine for longer term use) antibiotic drops, vasoconstrictive agents or artificial tears may be indicated dependent on the severity of the injury.
- ▶ Steroid eye drops should only be administered with the approval of a consulting ophthalmologist).

[Ellenhorn and Barceloux: Medical Toxicology]

**SECTION 5 Firefighting measures****Extinguishing media**

- ▶ Water spray or fog.
- ▶ Foam.
- ▶ Dry chemical powder.
- ▶ BCF (where regulations permit).
- ▶ Carbon dioxide.

**Special hazards arising from the substance or mixture**

|                             |                                                                                                      |
|-----------------------------|------------------------------------------------------------------------------------------------------|
| <b>Fire Incompatibility</b> | Charging process and particularly overcharging produces highly flammable and explosive hydrogen gas. |
|-----------------------------|------------------------------------------------------------------------------------------------------|

**Advice for firefighters**

|                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Fire Fighting</b>         | <ul style="list-style-type: none"> <li>▶ Alert Fire Brigade and tell them location and nature of hazard.</li> <li>▶ Wear full body protective clothing with breathing apparatus.</li> <li>▶ Prevent, by any means available, spillage from entering drains or water course.</li> <li>▶ Use fire fighting procedures suitable for surrounding area.</li> <li>▶ <b>Do not approach containers suspected to be hot.</b></li> <li>▶ Cool fire exposed containers with water spray from a protected location.</li> <li>▶ If safe to do so, remove containers from path of fire.</li> <li>▶ Equipment should be thoroughly decontaminated after use.</li> </ul> |
| <b>Fire/Explosion Hazard</b> | <ul style="list-style-type: none"> <li>▶ Non combustible.</li> <li>▶ Not considered to be a significant fire risk.</li> <li>▶ Acids may react with metals to produce hydrogen, a highly flammable and explosive gas.</li> <li>▶ Heating may cause expansion or decomposition leading to violent rupture of containers.</li> <li>▶ May emit corrosive, poisonous fumes. May emit acrid smoke.</li> </ul> Decomposition may produce toxic fumes of:<br>sulfur oxides (SO <sub>x</sub> )                                                                                                                                                                     |
| <b>HAZCHEM</b>               | 2R                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

**SECTION 6 Accidental release measures****Personal precautions, protective equipment and emergency procedures**

See section 8

**Environmental precautions**

See section 12

**Methods and material for containment and cleaning up**

|                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Minor Spills</b> | <ul style="list-style-type: none"> <li>▶ Clean up all spills immediately.</li> <li>▶ Avoid breathing vapours and contact with skin and eyes.</li> <li>▶ Control personal contact with the substance, by using protective equipment.</li> <li>▶ Contain and absorb spill with sand, earth, inert material or vermiculite.</li> <li>▶ Wipe up.</li> <li>▶ Place in a suitable, labelled container for waste disposal.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Major Spills</b> | Acid spills may be neutralised with soda ash or slaked lime. <ul style="list-style-type: none"> <li>▶ Clear area of personnel and move upwind.</li> <li>▶ Alert Fire Brigade and tell them location and nature of hazard.</li> <li>▶ Wear full body protective clothing with breathing apparatus.</li> <li>▶ Prevent, by any means available, spillage from entering drains or water course.</li> <li>▶ Stop leak if safe to do so.</li> <li>▶ Contain spill with sand, earth or vermiculite.</li> <li>▶ Collect recoverable product into labelled containers for recycling.</li> <li>▶ Neutralise/decontaminate residue (see Section 13 for specific agent).</li> <li>▶ Collect solid residues and seal in labelled drums for disposal.</li> <li>▶ Wash area and prevent runoff into drains.</li> <li>▶ After clean up operations, decontaminate and launder all protective clothing and equipment before storing and re-using.</li> <li>▶ If contamination of drains or waterways occurs, advise emergency services.</li> </ul> |

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Safe handling     | <p>Wear protective clothing when risk of exposure occurs.</p> <p>Use in a well-ventilated area</p> <ul style="list-style-type: none"><li>Avoid smoking, naked lights or ignition sources.</li></ul> <p>When handling, <b>DO NOT</b> eat, drink or smoke.</p> <p>Wash hands with soap and water after handling.</p> <ul style="list-style-type: none"><li>Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions are maintained.</li></ul> |
| Other information | <ul style="list-style-type: none"><li>Store in original containers.</li><li>Keep containers securely sealed.</li><li>Store in a cool, dry, well-ventilated area.</li><li>Store away from incompatible materials and foodstuff containers.</li><li>Protect containers against physical damage and check regularly for leaks.</li><li>Observe manufacturer's storage and handling recommendations contained within this SDS.</li></ul>                                                               |

Conditions for safe storage, including any incompatibilities

|                         |                                                 |
|-------------------------|-------------------------------------------------|
| Suitable container      | Normally packed with inert cushioning material. |
| Storage incompatibility | Protect from accidental short-circuit.          |

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

| Source                                                                                                                                             | Ingredient    | Material name                           | TWA        | STEL          | Peak          | Notes                                                                                                                                                                                                                                                                                                               |
|----------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-----------------------------------------|------------|---------------|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Australia Exposure Standards                                                                                                                       | lead          | Lead, inorganic dusts & fumes (as Pb)   | 0.05 mg/m3 | Not Available | Not Available | Not Available                                                                                                                                                                                                                                                                                                       |
| Australia Workplace exposure limits for airborne contaminants (WEL list) (Effective from 1 December 2026) - Appendix A - Workplace Exposure Limits | lead          | Lead, inorganic dusts and fumes (as Pb) | 0.05 mg/m3 | Not Available | Not Available | Workers exposed to this chemical may require specific health monitoring (see regulations 368-378, Schedule 14 to the model WHS Regulations). The use, handling and storage of this chemical is subject to restriction or prohibition (see regulations 340, 380 - 384 and Schedule 10 to the model WHS Regulations). |
| Australia Exposure Standards                                                                                                                       | lead oxide    | Lead, inorganic dusts & fumes (as Pb)   | 0.05 mg/m3 | Not Available | Not Available | Not Available                                                                                                                                                                                                                                                                                                       |
| Australia Exposure Standards                                                                                                                       | sulfuric acid | Sulphuric acid                          | 1 mg/m3    | 3 mg/m3       | Not Available | Not Available                                                                                                                                                                                                                                                                                                       |
| Australia Workplace exposure limits for airborne contaminants (WEL list) (Effective from 1 December 2026) - Appendix A - Workplace Exposure Limits | sulfuric acid | Sulfuric acid                           | 0.1 mg/m3  | Not Available | Not Available | Not Available                                                                                                                                                                                                                                                                                                       |

MATERIAL DATA

None assigned. Refer to individual constituents.

Exposure controls

|                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                      |            |                                                                          |                             |                                                                                                                                                                                                                     |                            |                                                                                                                                                                |                            |                                                                                                                                                      |                              |                        |                        |                                                       |                                 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|------------|--------------------------------------------------------------------------|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|------------------------|------------------------|-------------------------------------------------------|---------------------------------|
| Appropriate engineering controls                                                                                                                                                                                    | <p>Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:</p> <p>Process controls which involve changing the way a job activity or process is done to reduce the risk.</p> <p>Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use.</p> <p>Employers may need to use multiple types of controls to prevent employee overexposure.</p> <p>General exhaust is adequate under normal operating conditions. Local exhaust ventilation may be required in specific circumstances. If risk of overexposure exists, wear approved respirator. Correct fit is essential to obtain adequate protection. Provide adequate ventilation in warehouse or closed storage areas. Air contaminants generated in the workplace possess varying "escape" velocities which, in turn, determine the "capture velocities" of fresh circulating air required to effectively remove the contaminant.</p> <table><tr><td>Type of Contaminant:</td><td>Air Speed:</td></tr><tr><td>solvent, vapours, degreasing etc., evaporating from tank (in still air).</td><td>0.25-0.5 m/s (50-100 f/min)</td></tr><tr><td>aerosols, fumes from pouring operations, intermittent container filling, low speed conveyer transfers, welding, spray drift, plating acid fumes, pickling (released at low velocity into zone of active generation)</td><td>0.5-1 m/s (100-200 f/min.)</td></tr><tr><td>direct spray, spray painting in shallow booths, drum filling, conveyer loading, crusher dusts, gas discharge (active generation into zone of rapid air motion)</td><td>1-2.5 m/s (200-500 f/min.)</td></tr><tr><td>grinding, abrasive blasting, tumbling, high speed wheel generated dusts (released at high initial velocity into zone of very high rapid air motion).</td><td>2.5-10 m/s (500-2000 f/min.)</td></tr></table> <p>Within each range the appropriate value depends on:</p> <table><tr><td>Lower end of the range</td><td>Upper end of the range</td></tr><tr><td>1: Room air currents minimal or favourable to capture</td><td>1: Disturbing room air currents</td></tr></table> | Type of Contaminant: | Air Speed: | solvent, vapours, degreasing etc., evaporating from tank (in still air). | 0.25-0.5 m/s (50-100 f/min) | aerosols, fumes from pouring operations, intermittent container filling, low speed conveyer transfers, welding, spray drift, plating acid fumes, pickling (released at low velocity into zone of active generation) | 0.5-1 m/s (100-200 f/min.) | direct spray, spray painting in shallow booths, drum filling, conveyer loading, crusher dusts, gas discharge (active generation into zone of rapid air motion) | 1-2.5 m/s (200-500 f/min.) | grinding, abrasive blasting, tumbling, high speed wheel generated dusts (released at high initial velocity into zone of very high rapid air motion). | 2.5-10 m/s (500-2000 f/min.) | Lower end of the range | Upper end of the range | 1: Room air currents minimal or favourable to capture | 1: Disturbing room air currents |
| Type of Contaminant:                                                                                                                                                                                                | Air Speed:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                      |            |                                                                          |                             |                                                                                                                                                                                                                     |                            |                                                                                                                                                                |                            |                                                                                                                                                      |                              |                        |                        |                                                       |                                 |
| solvent, vapours, degreasing etc., evaporating from tank (in still air).                                                                                                                                            | 0.25-0.5 m/s (50-100 f/min)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                      |            |                                                                          |                             |                                                                                                                                                                                                                     |                            |                                                                                                                                                                |                            |                                                                                                                                                      |                              |                        |                        |                                                       |                                 |
| aerosols, fumes from pouring operations, intermittent container filling, low speed conveyer transfers, welding, spray drift, plating acid fumes, pickling (released at low velocity into zone of active generation) | 0.5-1 m/s (100-200 f/min.)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                      |            |                                                                          |                             |                                                                                                                                                                                                                     |                            |                                                                                                                                                                |                            |                                                                                                                                                      |                              |                        |                        |                                                       |                                 |
| direct spray, spray painting in shallow booths, drum filling, conveyer loading, crusher dusts, gas discharge (active generation into zone of rapid air motion)                                                      | 1-2.5 m/s (200-500 f/min.)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                      |            |                                                                          |                             |                                                                                                                                                                                                                     |                            |                                                                                                                                                                |                            |                                                                                                                                                      |                              |                        |                        |                                                       |                                 |
| grinding, abrasive blasting, tumbling, high speed wheel generated dusts (released at high initial velocity into zone of very high rapid air motion).                                                                | 2.5-10 m/s (500-2000 f/min.)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                      |            |                                                                          |                             |                                                                                                                                                                                                                     |                            |                                                                                                                                                                |                            |                                                                                                                                                      |                              |                        |                        |                                                       |                                 |
| Lower end of the range                                                                                                                                                                                              | Upper end of the range                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                      |            |                                                                          |                             |                                                                                                                                                                                                                     |                            |                                                                                                                                                                |                            |                                                                                                                                                      |                              |                        |                        |                                                       |                                 |
| 1: Room air currents minimal or favourable to capture                                                                                                                                                               | 1: Disturbing room air currents                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                      |            |                                                                          |                             |                                                                                                                                                                                                                     |                            |                                                                                                                                                                |                            |                                                                                                                                                      |                              |                        |                        |                                                       |                                 |

|                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                  |
|-----------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|
|                                                                       | 2: Contaminants of low toxicity or of nuisance value only.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 2: Contaminants of high toxicity |
|                                                                       | 3: Intermittent, low production.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 3: High production, heavy use    |
|                                                                       | 4: Large hood or large air mass in motion                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 4: Small hood-local control only |
|                                                                       | Simple theory shows that air velocity falls rapidly with distance away from the opening of a simple extraction pipe. Velocity generally decreases with the square of distance from the extraction point (in simple cases). Therefore the air speed at the extraction point should be adjusted, accordingly, after reference to distance from the contaminating source. The air velocity at the extraction fan, for example, should be a minimum of 1-2 m/s (200-400 f/min) for extraction of solvents generated in a tank 2 meters distant from the extraction point. Other mechanical considerations, producing performance deficits within the extraction apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or more when extraction systems are installed or used.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                  |
| Individual protection measures, such as personal protective equipment |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                  |
| Eye and face protection                                               | <ul style="list-style-type: none"> <li>Safety glasses with unperforated side shields may be used where continuous eye protection is desirable, as in laboratories; spectacles are not sufficient where complete eye protection is needed such as when handling bulk-quantities, where there is a danger of splashing, or if the material may be under pressure.</li> <li>Chemical goggles. Whenever there is a danger of the material coming in contact with the eyes; goggles must be properly fitted.[AS/NZS 1337.1, EN166 or national equivalent]</li> <li>Full face shield (20 cm, 8 in minimum) may be required for supplementary but never for primary protection of eyes; these afford face protection.</li> <li>Alternatively a gas mask may replace splash goggles and face shields.</li> <li>Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59].</li> </ul> |                                  |
| Skin protection                                                       | See Hand protection below                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                  |
| Hands/feet protection                                                 | Wear chemical protective gloves, e.g. PVC.<br>Wear safety footwear.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                  |
| Body protection                                                       | See Other protection below                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                  |
| Other protection                                                      | <ul style="list-style-type: none"> <li>Overalls.</li> <li>PVC Apron.</li> <li>PVC protective suit may be required if exposure severe.</li> <li>Eyewash unit.</li> <li>Ensure there is ready access to a safety shower.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                  |

**Recommended material(s)****GLOVE SELECTION INDEX**

Glove selection is based on a modified presentation of the:

**"Forsberg Clothing Performance Index".**

The effect(s) of the following substance(s) are taken into account in the **computer-generated** selection:  
Delkor SMF

| Material         | CPI |
|------------------|-----|
| NATURAL RUBBER   | A   |
| NATURAL+NEOPRENE | A   |
| NEOPRENE         | A   |
| NEOPRENE/NATURAL | A   |
| NITRILE          | A   |
| PE               | A   |
| PVC              | A   |
| SARANEX-23       | A   |

\* CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

**NOTE:** As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

\* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

**Respiratory protection**

Type AE-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required. Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

| Required Minimum Protection Factor | Half-Face Respirator | Full-Face Respirator | Powered Air Respirator   |
|------------------------------------|----------------------|----------------------|--------------------------|
| up to 10 x ES                      | AE-AUS P2            | -                    | AE-PAPR-AUS / Class 1 P2 |
| up to 50 x ES                      | -                    | AE-AUS / Class 1 P2  | -                        |
| up to 100 x ES                     | -                    | AE-2 P2              | AE-PAPR-2 P2 ^           |

^ - Full-face

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO<sub>2</sub>), G = Agricultural chemicals, K = Ammonia(NH<sub>3</sub>), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

**SECTION 9 Physical and chemical properties****Information on basic physical and chemical properties**

|                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                              |               |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|---------------|
| Appearance     | A manufactured article cased in plastic with a sealed case, terminals and flame arrestor vent caps. Case colour varies. Essentially odourless. The hazard of lead acid batteries include: CORROSIVE CONTENTS SHORT CIRCUIT - accidental discharge. Current flow by external short circuit may heat metals to welding temperatures with fire hazard; internal heat generated may boil battery acid with evolution of large amounts of highly corrosive acid mist/vapour. Boiling may develop internal pressure and cause explosion with scattering of acid contents. Battery circuits must include electrical fusible links; terminals and external metal parts must be insulated. Do not clean terminals, battery top with conducting liquids. SPILL - damage to casing or overturning may cause corrosive acid contents to spill, causing skin burns on contact. Acid reacts quickly with many metals, generating highly flammable and explosive hydrogen gas; may also weaken metal structures. |                              |               |
| Physical state | Manufactured                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Relative density (Water = 1) | Not Available |

Continued...

|                                                                  |                   |                                                                       |                |
|------------------------------------------------------------------|-------------------|-----------------------------------------------------------------------|----------------|
| <b>Odour</b>                                                     | Not Available     | <b>Partition coefficient n-octanol / water</b>                        | Not Available  |
| <b>Odour threshold</b>                                           | Not Available     | <b>Auto-ignition temperature (°C)</b>                                 | Not Applicable |
| <b>pH (as supplied)</b>                                          | <1 acid content   | <b>Decomposition temperature (°C)</b>                                 | Not Applicable |
| <b>Melting point / freezing point (°C)</b>                       | >149 for case     | <b>Viscosity (mm<sup>2</sup>/s)</b>                                   | Not Applicable |
| <b>Initial boiling point and boiling range (°C)</b>              | Not Available     | <b>Molecular weight (g/mol)</b>                                       | Not Applicable |
| <b>Flash point (°C)</b>                                          | Not Applicable    | <b>Taste</b>                                                          | Not Available  |
| <b>Evaporation rate</b>                                          | Not Available     | <b>Explosive properties</b>                                           | Not Available  |
| <b>Flammability</b>                                              | Not Applicable    | <b>Oxidising properties</b>                                           | Not Available  |
| <b>Upper Explosive Limit (%)</b>                                 | 74.2 hydrogen gas | <b>Surface Tension (dyn/cm or mN/m)</b>                               | Not Applicable |
| <b>Lower Explosive Limit (%)</b>                                 | 4.1 hydrogen gas  | <b>Volatile Component (%vol)</b>                                      | Not Available  |
| <b>Vapour pressure (kPa)</b>                                     | Not Available     | <b>Gas group</b>                                                      | Not Available  |
| <b>Solubility in water</b>                                       | Not Applicable    | <b>pH as a solution (1%)</b>                                          | Not Available  |
| <b>Vapour density (Air = 1)</b>                                  | Not Available     | <b>VOC g/L</b>                                                        | Not Applicable |
| <b>Heat of Combustion (kJ/g)</b>                                 | Not Available     | <b>Ignition Distance (cm)</b>                                         | Not Available  |
| <b>Flame Height (cm)</b>                                         | Not Available     | <b>Flame Duration (s)</b>                                             | Not Available  |
| <b>Enclosed Space Ignition Time Equivalent (s/m<sup>3</sup>)</b> | Not Available     | <b>Enclosed Space Ignition Deflagration Density (g/m<sup>3</sup>)</b> | Not Available  |

## SECTION 10 Stability and reactivity

|                                           |                                                 |
|-------------------------------------------|-------------------------------------------------|
| <b>Reactivity</b>                         | See section 7                                   |
| <b>Chemical stability</b>                 | ► Contact with alkaline material liberates heat |
| <b>Possibility of hazardous reactions</b> | See section 7                                   |
| <b>Conditions to avoid</b>                | See section 7                                   |
| <b>Incompatible materials</b>             | See section 7                                   |
| <b>Hazardous decomposition products</b>   | See section 5                                   |

## SECTION 11 Toxicological information

### Information on toxicological effects

|                                             |                                                                                         |
|---------------------------------------------|-----------------------------------------------------------------------------------------|
| <b>a) Acute Toxicity</b>                    | Based on available data, the classification criteria are not met.                       |
| <b>b) Skin Irritation/Corrosion</b>         | There is sufficient evidence to classify this material as skin corrosive or irritating. |
| <b>c) Serious Eye Damage/Irritation</b>     | There is sufficient evidence to classify this material as eye damaging or irritating    |
| <b>d) Respiratory or Skin sensitisation</b> | Based on available data, the classification criteria are not met.                       |
| <b>e) Mutagenicity</b>                      | Based on available data, the classification criteria are not met.                       |
| <b>f) Carcinogenicity</b>                   | Based on available data, the classification criteria are not met.                       |
| <b>g) Reproductivity</b>                    | There is sufficient evidence to classify this material as toxic to reproductivity       |
| <b>h) STOT - Single Exposure</b>            | Based on available data, the classification criteria are not met.                       |
| <b>i) STOT - Repeated Exposure</b>          | Based on available data, the classification criteria are not met.                       |
| <b>j) Aspiration Hazard</b>                 | Based on available data, the classification criteria are not met.                       |

|                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Inhaled</b>      | <p>Not normally a hazard due to physical form of product.</p> <p>Acidic corrosives produce respiratory tract irritation with coughing, choking and mucous membrane damage. Symptoms of exposure may include dizziness, headache, nausea and weakness. In more severe exposures, pulmonary oedema may be evident either immediately or after a latent period of 5-72 hours. Symptoms of pulmonary oedema include a tightness in the chest, dyspnoea, frothy sputum and cyanosis. Examination may reveal hypotension, a weak and rapid pulse and moist rates. Death, due to anoxia, may occur several hours after onset of the pulmonary oedema.</p> <p>Exposure to high concentrations causes bronchitis and is characterised by the onset of haemorrhagic pulmonary oedema.</p>                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Ingestion</b>    | <p>Ingestion of acidic corrosives may produce circumoral burns with a distinct discolouration of the mucous membranes of the mouth, throat and oesophagus. Immediate pain and difficulties in swallowing and speaking may also be evident. Oedema of the epiglottis may produce respiratory distress and possibly, asphyxia. Nausea, vomiting, diarrhoea and a pronounced thirst may occur. More severe exposures may produce a vomitus containing fresh or dark blood and large shreds of mucosa. Shock, with marked hypotension, weak and rapid pulse, shallow respiration and clammy skin may be symptomatic of the exposure. Circulatory collapse may, if left untreated, result in renal failure. Severe cases may show gastric and oesophageal perforation with peritonitis, fever and abdominal rigidity. Stricture of the oesophageal, gastric and pyloric sphincter may occur as within several weeks or may be delayed for years. Death may be rapid and often results from asphyxia, circulatory collapse or aspiration of even minute amounts. Delayed deaths may be due to peritonitis, severe nephritis or pneumonia. Coma and convulsions may be terminal.</p> |
| <b>Skin Contact</b> | <p>Skin contact with acidic corrosives may result in pain and burns; these may be deep with distinct edges and may heal slowly with the formation of scar tissue.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Eye</b>          | <p>Direct eye contact with acid corrosives may produce pain, lachrymation, photophobia and burns. Mild burns of the epithelia generally recover rapidly and completely. Severe burns produce long-lasting and possible irreversible damage. The appearance of the burn may not be</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

Continued...

|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|         | apparent for several weeks after the initial contact. The cornea may ultimately become deeply vascularised and opaque resulting in blindness.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Chronic | <p>Repeated or prolonged exposure to acids may result in the erosion of teeth, inflammatory and ulcerative changes in the mouth and necrosis (rarely) of the jaw. Bronchial irritation, with cough, and frequent attacks of bronchial pneumonia may ensue. Gastrointestinal disturbances may also occur. Chronic exposures may result in dermatitis and/or conjunctivitis.</p> <p>The impact of inhaled acidic agents on the respiratory tract depends upon a number of interrelated factors. These include physicochemical characteristics, e.g., gas versus aerosol; particle size (small particles can penetrate deeper into the lung); water solubility (more soluble agents are more likely to be removed in the nose and mouth). Given the general lack of information on the particle size of aerosols involved in occupational exposures to acids, it is difficult to identify their principal deposition site within the respiratory tract. Acid mists containing particles with a diameter of up to a few micrometers will be deposited in both the upper and lower airways. They are irritating to mucous epithelia, they cause dental erosion, and they produce acute effects in the lungs (symptoms and changes in pulmonary function). Asthmatics appear to be at particular risk for pulmonary effects.</p> <p>Occupational exposure to strong inorganic acid mists containing sulfuric acid is designated by IARC to be carcinogenic, increased risk of laryngeal cancer being seen with chronic exposures. Repeated minor exposures to mists can cause erosion of teeth and inflammation of the upper respiratory tract leading to chronic bronchitis. Repeated skin contact with dilute solutions may produce dermatitis. Lungs of sulfuric acid plant workers appear to be less affected than the lungs of workers exposed to "dust". There is evidence that corrosion of tooth enamel occurs at 1 mg/m<sup>3</sup> but that acclimated workers could tolerate three to four times that level. Forming room workers in a battery factory exposed to 3 to 16 mg/m<sup>3</sup> sulfuric acid mist concentrations exhibited the most serious signs of erosion whilst charging room workers, exposed to 0.08 to 2.5 mg/m<sup>3</sup> were affected to a lesser degree. Workers chronically exposed to sulfuric acid mists may show various skin lesions, tracheobronchitis, stomatitis, conjunctivitis and gastritis.</p> |

|                                                |                                                     |                                                                  |
|------------------------------------------------|-----------------------------------------------------|------------------------------------------------------------------|
| Delkor SMF                                     | <b>TOXICITY</b>                                     | <b>IRRITATION</b>                                                |
|                                                | Not Available                                       | Not Available                                                    |
| lead                                           | <b>TOXICITY</b>                                     | <b>IRRITATION</b>                                                |
|                                                | dermal (rat) LD50: >2000 mg/kg <sup>[1]</sup>       | Eye: no adverse effect observed (not irritating) <sup>[1]</sup>  |
|                                                | Inhalation (Rat) LC50: >5.05 mg/l4h <sup>[1]</sup>  | Skin: no adverse effect observed (not irritating) <sup>[1]</sup> |
|                                                | Oral (Rat) LD50: >2000 mg/kg <sup>[1]</sup>         |                                                                  |
| lead oxide                                     | <b>TOXICITY</b>                                     | <b>IRRITATION</b>                                                |
|                                                | Not Available                                       | Not Available                                                    |
| sulfuric acid                                  | <b>TOXICITY</b>                                     | <b>IRRITATION</b>                                                |
|                                                | Inhalation (Mouse) LC50: 0.85 mg/l4h <sup>[1]</sup> | Eye (Rodent - rabbit): 250ug - Severe                            |
|                                                | Oral (Rat) LD50: 2140 mg/kg <sup>[2]</sup>          | Eye (Rodent - rabbit): 5mg/30S - Severe                          |
| styrene/ butadiene/<br>acrylonitrile copolymer | <b>TOXICITY</b>                                     | <b>IRRITATION</b>                                                |
|                                                | Dermal (rabbit) LD50: 5010 mg/kg <sup>[2]</sup>     | Not Available                                                    |
|                                                | Oral (Rat) LD50: 5010 mg/kg <sup>[2]</sup>          |                                                                  |
| polypropylene                                  | <b>TOXICITY</b>                                     | <b>IRRITATION</b>                                                |
|                                                | Oral (Mouse) LD50: 3200 mg/kg <sup>[2]</sup>        | Not Available                                                    |

**Legend:** 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

|                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|---------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| LEAD                                              | WARNING: Lead is a cumulative poison and has the potential to cause abortion and intellectual impairment to unborn children of pregnant workers.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| LEAD OXIDE                                        | The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| SULFURIC ACID                                     | <p>Occupational exposures to strong inorganic acid mists of sulfuric acid:</p> <p>Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia. RADS (or asthma) following an irritating inhalation is an infrequent disorder with rates related to the concentration of and duration of exposure to the irritating substance. On the other hand, industrial bronchitis is a disorder that occurs as a result of exposure due to high concentrations of irritating substance (often particles) and is completely reversible after exposure ceases. The disorder is characterized by difficulty breathing, cough and mucus production.</p> <p><b>WARNING:</b> For inhalation exposure <u>ONLY</u>: This substance has been classified by the IARC as Group 1: <b>CARCINOGENIC TO HUMANS</b></p> |
| STYRENE/ BUTADIENE/<br>ACRYLONITRILE<br>COPOLYMER | Ultrafine particles (UFPs) may be produced at lower temperatures during the 3D printing process Concerns have been raised regarding airborne UFP concentrations generated while printing with ABS, as UFPs have been linked with adverse health effects                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| POLYPROPYLENE                                     | <p>* For pyrolyzate</p> <p>For poly-alpha-olefins (PAOs):</p> <p>PAOs are highly branched isoparaaffinic chemicals produced by oligomerisation of 1-octene, 1-decene, and/or 1-dodecene. The crude polyalphaolefin mixture is then distilled into appropriate product fractions to meet specific viscosity specifications and hydrogenated. Read across data exist for health effects endpoints from the following similar hydrogenated long chain branched alkanes derived from a C8, C10, and/or C12 alpha olefins:</p> <ul style="list-style-type: none"> <li>▶ Decene homopolymer</li> <li>▶ Decene/dodecene copolymer</li> <li>▶ Octene/decene/dodecene copolymer</li> <li>▶ Dodecene trimer</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

## Deltor SMF

The data for these structural analogs demonstrated no evidence of health effects. In addition, there is evidence in the literature that alkanes with 30 or more carbon atoms are unlikely to be absorbed when administered orally. The physicochemical data suggest that it is unlikely that significant absorption will occur. If a substance of the size and structure of a typical PAO is absorbed, then the principal mechanisms of absorption after oral administration are likely to be passive diffusion and absorption by way of the lymphatic system. The former requires both good lipid solubility and good water solubility as the substance has to partition from an aqueous environment through a lipophilic membrane into another aqueous environment during absorption. Absorption by way of the lymphatics occurs by mechanisms analogous to those that absorb fatty acids and is limited by the size of the molecule. Lipophilicity generally enhances the ability of chemicals to cross biological membranes. Biotransformation by mixed function oxidases often increases the water solubility of a substance; however, existing data suggest that these substances will not undergo oxidation to more hydrophilic metabolites. Finally, a chemical must have an active functional group that can interact chemically or physically with the target cell or receptor upon reaching it; there are no moieties in PAOs that represent a functional group that may have biological activity. The water solubilities of a C10 dimer PAO and a C12 trimer PAO were determined to be <1 ppb and < 1 ppt respectively. The partition coefficient for a C12 trimer PAO was determined to be log Kow of > 7. Given the very low water solubility it is extremely unlikely that PAOs will be absorbed by passive diffusion following oral administration, and the size of the molecules suggest that the extent of lymphatic absorption is likely to be very low. Although PAOs are relatively large lipophilic compounds, and molecular size may be a critical limiting determinant for absorption, there is some evidence that these substances are absorbed. However, the lack of observed toxicity in the studies with PAOs suggests that these products are absorbed poorly, if at all. Furthermore, a review of the literature regarding the absorption and metabolism of long chain alkanes indicates that alkanes with 30+ carbon atoms are unlikely to be absorbed. For example the absorption of squalane, an analogous C30 product, administered orally to male CD rats was examined - essentially all of the squalane was recovered unchanged in the faeces. At the same time, the hydrophobic properties of PAOs suggest that, should they be absorbed, they would undergo limited distribution in the aqueous systemic circulation and reach potential target organs in limited concentrations.

In addition to the general considerations discussed above, the low volatility of PAOs indicates that, under normal conditions of use or transportation, exposure by the inhalation route is unlikely. In particular, the high viscosity of these substances suggests that it would be difficult to generate a high concentration of respirable particles in the air.

**Acute toxicity:** PAOs (decene/dodecene copolymer, octene/decene/dodecene homo-polymer, and dodecene trimer) have been adequately tested for acute oral toxicity. There were no deaths when the test materials were administered at doses of 5,000 mg/kg (decene/dodecene copolymer and dodecene trimer) and at 2,000 mg/kg (octene/decene/dodecene copolymer) in rats. Overall, the acute oral LD50 for these substances was greater than the 2000 mg/kg limit dose, indicating a relatively low order of toxicity.

PAOs (decene/dodecene copolymer, octene/decene/dodecene copolymer, and dodecene trimer) have been tested for acute dermal toxicity. No mortality was observed for any substance when administered at the limit dose of 2000 or 5000 mg/kg. Overall, the acute dermal LD50 for these substances was greater than the 2000 mg/kg limit dose, indicating a relatively low order of toxicity.

1-Decene, homopolymer, is absorbed (unexpectedly for a high molecular weight polymer) to a moderate degree in rat skin and is eliminated slowly

PAOs (decene homopolymer, decene/dodecene copolymer, and decene trimer) have been tested for acute inhalation toxicity. Rats were exposed to aerosols of the substances at nominal atmospheric concentrations of 2.5, 5.0, and 5.06 mg/L, respectively, for four hours. These levels were the maximum attainable concentrations under the conditions of the tests, due to the low volatility and high viscosity of the test material. No mortality was noted, and all animals fully recovered following depuration. The lack of mortality at concentrations at or above the limit dose of 2.0 mg/L indicates a relatively low order of toxicity for these substances.

**Repeat dose toxicity:** Eight repeated-dose toxicity studies using two different animal species, rats and mice, and oral and dermal routes of administration have been conducted with three structural analogs. These data suggest that the structural analogs exhibit a low order of toxicity following repeated applications, due to their similarity in chemical structures and physicochemical properties.

One 28-day oral toxicity study in rats, one 90-day dermal and two 90-day dietary studies in rats, and a dermal carcinogenicity study in mice exist for decene homopolymer. A rat oral combined reproductive toxicity and 91-day systemic toxicity study was also conducted with decene homopolymer. In addition, 28-day rat oral toxicity studies exist for two structurally analogous substances (dodecene trimer and octene/decene/dodecene copolymer); and a 90-day rat dermal toxicity study exists for octene/decene/dodecene copolymer. Results from these studies show a low order of repeated dose toxicity. The dermal NOAEL for systemic toxicity studies was equal to or greater than 2000 mg/kg/day.

The oral NOAEL for 1-decene homopolymer is between 5,000 and 20,000 mg/kg/day in Sprague-Dawley rats.

Rats exposed repeatedly by dermal exposure at doses of 2000 mg/kg decene/dodecene copolymer showed increased incidences of hyperplasia of the sebaceous glands, hyperplasia/hyperkeratosis of the epidermis and dermal inflammation. These symptoms generally subsided within 2 weeks. Males showed decreased body weight gain and altered serum chemistry.

In a 90-day feeding study rats receiving 20000 ppm of 1-decene, homopolymer, hydrogenated did not exhibit any clinical signs of systemic toxicity. Marginal effects on clinical chemistry (glucose and ALT in males; sodium, phosphorus and calcium in females) were seen.

**Reproductive toxicity:** Data are available for decene homopolymer. Results from these studies show a low order of reproductive/developmental toxicity. The NOAEL for reproductive toxicity was 1000 mg/kg/day, the highest concentration tested. The lack of effects on fertility in this study or effects on reproductive organs in this or other subchronic studies with closely related chemicals indicates that PAOs are unlikely to exert effects on reproduction.

**Developmental toxicity:** Decene homopolymer (with 10 ppm of an antioxidant) was administered once daily on gestation days 0-19 via dermal application to presumed-pregnant rats at doses of 0, 800, and 2000 mg/kg/day. Dermal administration of the test material did not adversely affect parameters of reproductive performance during gestation, nor did it adversely affect in utero survival and development of the offspring. The NOAEL in this study for developmental parameters was 2000 mg/kg/day.

**Genotoxicity:** Information for the following PAOs (decene homopolymer, octene/decene/dodecene copolymer, dodecene trimer; and decene/dodecene copolymer [prepared from 10% C12 and 90% C10 alpha olefins; approx. 33% trimer and 51% tetramer, 16% pentamer and higher]) is available. Either bacterial or mammalian gene mutation assays, in vitro chromosomal aberration assays, or in vivo chromosomal aberration assays have been conducted for these substances. Neither mutagenicity nor clastogenicity were exhibited by any of these substances in the referenced in vivo or in vitro tests, with or without metabolic activation.

**Carcinogenicity:** While alpha-olefin polymers have similar properties to mineral oils, they do not contain polycyclic aromatic hydrocarbons, or other known possible carcinogens.

Decene homopolymer produced no treatment-related tumors in C3H mice treated with a 50 ul/application twice weekly for 104 weeks. In addition, survival (56%) was greater than in any other group, including the untreated control.

**STYRENE/ BUTADIENE/  
ACRYLONITRILE  
COPOLYMER &  
POLYPROPYLENE**

The substance is classified by IARC as Group 3:  
**NOT** classifiable as to its carcinogenicity to humans.  
Evidence of carcinogenicity may be inadequate or limited in animal testing.

|                                   |   |                          |   |
|-----------------------------------|---|--------------------------|---|
| Acute Toxicity                    | ✗ | Carcinogenicity          | ✗ |
| Skin Irritation/Corrosion         | ✓ | Reproductivity           | ✗ |
| Serious Eye Damage/Irritation     | ✓ | STOT - Single Exposure   | ✗ |
| Respiratory or Skin sensitisation | ✗ | STOT - Repeated Exposure | ✗ |
| Mutagenicity                      | ✗ | Aspiration Hazard        | ✗ |

**Legend:** ✗ – Data either not available or does not fill the criteria for classification  
✓ – Data available to make classification

SECTION 12 Ecological information

|                                                |               |                                                                                                                                                                                                                                                                                                                          |                               |                 |               |
|------------------------------------------------|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-----------------|---------------|
| Toxicity                                       |               |                                                                                                                                                                                                                                                                                                                          |                               |                 |               |
| Delkor SMF                                     | Endpoint      | Test Duration (hr)                                                                                                                                                                                                                                                                                                       | Species                       | Value           | Source        |
|                                                | Not Available | Not Available                                                                                                                                                                                                                                                                                                            | Not Available                 | Not Available   | Not Available |
| lead                                           | Endpoint      | Test Duration (hr)                                                                                                                                                                                                                                                                                                       | Species                       | Value           | Source        |
|                                                | EC50          | 72h                                                                                                                                                                                                                                                                                                                      | Algae or other aquatic plants | 0.021mg/L       | 2             |
|                                                | EC50          | 48h                                                                                                                                                                                                                                                                                                                      | Crustacea                     | 0.029mg/L       | 2             |
|                                                | NOEC(ECx)     | 672h                                                                                                                                                                                                                                                                                                                     | Crustacea                     | <0.001mg/L      | 2             |
|                                                | EC50          | 96h                                                                                                                                                                                                                                                                                                                      | Algae or other aquatic plants | 0.282-0.864mg/l | 4             |
|                                                | LC50          | 96h                                                                                                                                                                                                                                                                                                                      | Fish                          | 0.008mg/L       | 2             |
| lead oxide                                     | Endpoint      | Test Duration (hr)                                                                                                                                                                                                                                                                                                       | Species                       | Value           | Source        |
|                                                | Not Available | Not Available                                                                                                                                                                                                                                                                                                            | Not Available                 | Not Available   | Not Available |
| sulfuric acid                                  | Endpoint      | Test Duration (hr)                                                                                                                                                                                                                                                                                                       | Species                       | Value           | Source        |
|                                                | EC50          | 72h                                                                                                                                                                                                                                                                                                                      | Algae or other aquatic plants | >100mg/l        | 2             |
|                                                | EC50          | 48h                                                                                                                                                                                                                                                                                                                      | Crustacea                     | 42.5mg/l        | 1             |
|                                                | NOEC(ECx)     | 1560h                                                                                                                                                                                                                                                                                                                    | Fish                          | 0.025mg/l       | 2             |
|                                                | LC50          | 96h                                                                                                                                                                                                                                                                                                                      | Fish                          | 8mg/l           | 1             |
|                                                | ErC50         | 72h                                                                                                                                                                                                                                                                                                                      | Algae or other aquatic plants | >100mg/l        | 2             |
| styrene/ butadiene/<br>acrylonitrile copolymer | Endpoint      | Test Duration (hr)                                                                                                                                                                                                                                                                                                       | Species                       | Value           | Source        |
|                                                | Not Available | Not Available                                                                                                                                                                                                                                                                                                            | Not Available                 | Not Available   | Not Available |
| polypropylene                                  | Endpoint      | Test Duration (hr)                                                                                                                                                                                                                                                                                                       | Species                       | Value           | Source        |
|                                                | Not Available | Not Available                                                                                                                                                                                                                                                                                                            | Not Available                 | Not Available   | Not Available |
| Legend:                                        |               | Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. US EPA, Ecotox database - Aquatic Toxicity Data 4. ECETOC Aquatic Hazard Assessment Data 5. NITE (Japan) - Bioconcentration Data 6. METI (Japan) - Bioconcentration Data 7. Vendor Data |                               |                 |               |

DO NOT discharge into sewer or waterways.

Persistence and degradability

|               |                         |                  |
|---------------|-------------------------|------------------|
| Ingredient    | Persistence: Water/Soil | Persistence: Air |
| polypropylene | LOW                     | LOW              |

Bioaccumulative potential

|               |                      |
|---------------|----------------------|
| Ingredient    | Bioaccumulation      |
| lead          | LOW (LogKOW = 0.73)  |
| sulfuric acid | LOW (LogKOW = -2.2)  |
| polypropylene | LOW (LogKOW = 17.21) |

Mobility in soil

|               |                       |
|---------------|-----------------------|
| Ingredient    | Mobility              |
| polypropylene | LOW (Log KOC = 23.74) |

SECTION 13 Disposal considerations

|                              |                                     |
|------------------------------|-------------------------------------|
| Waste treatment methods      |                                     |
| Product / Packaging disposal | Lead acid batteries are recyclable. |

SECTION 14 Transport information

|                  |                                                                                     |
|------------------|-------------------------------------------------------------------------------------|
| Labels Required  |                                                                                     |
|                  |  |
| Marine Pollutant | NO                                                                                  |
| HAZCHEM          | 2R                                                                                  |

|                      |      |
|----------------------|------|
| Land transport (ADG) |      |
|                      | 2794 |

|                                   |                                                    |                |
|-----------------------------------|----------------------------------------------------|----------------|
| 14.1 UN number or ID number       |                                                    |                |
| 14.2 UN proper shipping name      | BATTERIES, WET, FILLED WITH ACID, electric storage |                |
| 14.3 Transport hazard class(es)   | Class                                              | 8              |
|                                   | Subsidiary Hazard                                  | Not Applicable |
| 14.4 Packing group                | Not Applicable                                     |                |
| 14.5 Environmental hazard         | Not Applicable                                     |                |
| 14.6 Special precautions for user | Special provisions                                 | 295 AU08       |
|                                   | Limited quantity                                   | 1 L            |

Air transport (ICAO-IATA / DGR)

|                                   |                                                           |                    |
|-----------------------------------|-----------------------------------------------------------|--------------------|
| 14.1. UN number                   | 2794                                                      |                    |
| 14.2 UN proper shipping name      | Batteries, wet, filled with acid electric storage         |                    |
| 14.3 Transport hazard class(es)   | ICAO/IATA Class                                           | 8                  |
|                                   | ICAO / IATA Subsidiary Hazard                             | Not Applicable     |
|                                   | ERG Code                                                  | 8L                 |
| 14.4. Packing group               | Not Applicable                                            |                    |
| 14.5. Environmental hazard        | Not Applicable                                            |                    |
| 14.6 Special precautions for user | Special provisions                                        | A51 A164 A183 A802 |
|                                   | Cargo Only Packing Instructions                           | 870                |
|                                   | Cargo Only Maximum Qty / Pack                             | 400 kg             |
|                                   | Passenger and Cargo Packing Instructions                  | 870                |
|                                   | Passenger and Cargo Maximum Qty / Pack                    | 30 kg              |
|                                   | Passenger and Cargo Limited Quantity Packing Instructions | Forbidden          |
|                                   | Passenger and Cargo Limited Maximum Qty / Pack            | Forbidden          |

Sea transport (IMDG-Code / GGVSee)

|                                   |                                                   |                |
|-----------------------------------|---------------------------------------------------|----------------|
| 14.1. UN number                   | 2794                                              |                |
| 14.2 UN proper shipping name      | BATTERIES, WET, FILLED WITH ACID electric storage |                |
| 14.3 Transport hazard class(es)   | IMDG Class                                        | 8              |
|                                   | IMDG Subsidiary Hazard                            | Not Applicable |
| 14.4. Packing group               | Not Applicable                                    |                |
| 14.5 Environmental hazard         | Not Applicable                                    |                |
| 14.6 Special precautions for user | EMS Number                                        | F-A, S-B       |
|                                   | Special provisions                                | 295            |
|                                   | Limited Quantities                                | 1 L            |

14.7. Maritime transport in bulk according to IMO instruments

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

| Product name                                | Group          |
|---------------------------------------------|----------------|
| lead                                        | Not Applicable |
| lead oxide                                  | Not Applicable |
| sulfuric acid                               | Not Applicable |
| styrene/ butadiene/ acrylonitrile copolymer | Not Applicable |
| polypropylene                               | Not Applicable |

14.7.3. Transport in bulk in accordance with the IGC Code

| Product name                                | Ship Type      |
|---------------------------------------------|----------------|
| lead                                        | Not Applicable |
| lead oxide                                  | Not Applicable |
| sulfuric acid                               | Not Applicable |
| styrene/ butadiene/ acrylonitrile copolymer | Not Applicable |

| Product name  | Ship Type      |
|---------------|----------------|
| polypropylene | Not Applicable |

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

|                                                                                                                                           |
|-------------------------------------------------------------------------------------------------------------------------------------------|
| <b>lead is found on the following regulatory lists</b>                                                                                    |
| Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals                                                              |
| Australian Inventory of Industrial Chemicals (AIIC)                                                                                       |
| Chemical Footprint Project - Chemicals of High Concern List                                                                               |
| International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs                                             |
| International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Group 1: Carcinogenic to humans           |
| International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Group 2B: Possibly carcinogenic to humans |
| International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)                         |
| <b>lead oxide is found on the following regulatory lists</b>                                                                              |
| Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals                                                              |
| Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 10 / Appendix C                                 |
| Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6                                               |
| Australian Inventory of Industrial Chemicals (AIIC)                                                                                       |
| Chemical Footprint Project - Chemicals of High Concern List                                                                               |
| International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs                                             |
| International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Group 2A: Probably carcinogenic to humans |
| International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)                         |
| <b>sulfuric acid is found on the following regulatory lists</b>                                                                           |
| Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals                                                              |
| Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6                                               |
| Australian Inventory of Industrial Chemicals (AIIC)                                                                                       |
| Chemical Footprint Project - Chemicals of High Concern List                                                                               |
| International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs                                             |
| International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Group 1: Carcinogenic to humans           |
| <b>styrene/ butadiene/ acrylonitrile copolymer is found on the following regulatory lists</b>                                             |
| Australian Inventory of Industrial Chemicals (AIIC)                                                                                       |
| International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Not Classified as Carcinogenic            |
| International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)                         |
| <b>polypropylene is found on the following regulatory lists</b>                                                                           |
| Australian Inventory of Industrial Chemicals (AIIC)                                                                                       |
| Chemical Footprint Project - Chemicals of High Concern List                                                                               |
| International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Not Classified as Carcinogenic            |
| International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)                         |

Additional Regulatory Information

Not Applicable

National Inventory Status

| National Inventory                                | Status                                                                                                                                                                                            |
|---------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Australia - AIIC / Australia Non-Industrial Use   | Yes                                                                                                                                                                                               |
| Canada - DSL                                      | Yes                                                                                                                                                                                               |
| Canada - NDSL                                     | No (lead; sulfuric acid; styrene/ butadiene/ acrylonitrile copolymer; polypropylene)                                                                                                              |
| China - IECSC                                     | Yes                                                                                                                                                                                               |
| Europe - EINEC / ELINCS / NLP                     | No (styrene/ butadiene/ acrylonitrile copolymer; polypropylene)                                                                                                                                   |
| Japan - ENCS                                      | No (lead)                                                                                                                                                                                         |
| Korea - KECI                                      | Yes                                                                                                                                                                                               |
| New Zealand - NZIoC                               | No (lead oxide)                                                                                                                                                                                   |
| Philippines - PICCS                               | Yes                                                                                                                                                                                               |
| USA - TSCA                                        | All chemical substances in this product have been designated as TSCA Inventory 'Active'                                                                                                           |
| Taiwan - TCSI                                     | Yes                                                                                                                                                                                               |
| Mexico - INSQ                                     | No (lead oxide)                                                                                                                                                                                   |
| Vietnam - NCI                                     | Yes                                                                                                                                                                                               |
| Russia - FBEPH                                    | No (lead oxide)                                                                                                                                                                                   |
| UAE - Control List (Banned/Restricted Substances) | No (lead; styrene/ butadiene/ acrylonitrile copolymer; polypropylene)                                                                                                                             |
| Legend:                                           | Yes = All CAS declared ingredients are on the inventory<br>No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration. |

SECTION 16 Other information

|               |            |
|---------------|------------|
| Revision Date | 24/08/2026 |
|---------------|------------|

Continued...

|              |            |
|--------------|------------|
| Initial Date | 30/08/2018 |
|--------------|------------|

SDS Version Summary

| Version | Date of Update | Sections Updated                                                                           |
|---------|----------------|--------------------------------------------------------------------------------------------|
| 6.1     | 20/04/2023     | Hazards identification - Classification, Classification review due to GHS Revision change. |
| 7.1     | 10/12/2024     | Identification of the substance / mixture and of the company / undertaking - Use           |

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

- PC - TWA: Permissible Concentration-Time Weighted Average
- PC - STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit,
- IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- NOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value
- BCF: BioConcentration Factors
- BEI: Biological Exposure Index
- DNEL: Derived No-Effect Level
- PNEC: Predicted no-effect concentration
- MARPOL: International Convention for the Prevention of Pollution from Ships
- IMSBC: International Maritime Solid Bulk Cargoes Code
- IGC: International Gas Carrier Code
- IBC: International Bulk Chemical Code
  
- AIIC: Australian Inventory of Industrial Chemicals
- DSL: Domestic Substances List
- NDSL: Non-Domestic Substances List
- IECSC: Inventory of Existing Chemical Substance in China
- EINECS: European INventory of Existing Commercial chemical Substances
- ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
- ENCS: Existing and New Chemical Substances Inventory
- KECI: Korea Existing Chemicals Inventory
- NZIoC: New Zealand Inventory of Chemicals
- PICCS: Philippine Inventory of Chemicals and Chemical Substances
- TSCA: Toxic Substances Control Act
- TCSI: Taiwan Chemical Substance Inventory
- INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
- FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.  
Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.  
TEL (+61 3) 9572 4700.